














#### INTRODUCTION

Patented JAGUAR SHOEBOX series LED sports lights have an elegant appearance with die-cast modules, IK rating is IK08

Upward light ratio=0 for light fixture with symmetrical beams and spill covers Upward light ratio=0 for light fixture with asymmetrical beams

Optional long distance wireless control system and DMX control system





#### **SPECIFICATIONS**

Input Voltage	AC90-305V/AC108-528V	Housing	Aluminum	
LED Brand	Lumileds 5050	Rotatable Modular Design	Horizontally15°	
CRI	70 80 90	Wattage/Module	dule Symmetrical: 180W Asymmetrical: 150W	
Operating Temp	-40°C To 55°C	Dimming Solutions	0-10V Dimming, DALI, DMX, clo, Zigbee	
Power Factor	>0.95	ССТ	3000K 4000K 5000K 5700K 6500K	
Warranty	5 Yrs Warranty	Wireless Control	Available	
IP Rate	IP66	<b>Beam Angle</b> 20°, 40°, 60°, asymmetric A60, A60W, A70, A70W		
Bracket	Stainless steel or Aluminum	Driver	INVENTRONICS, MEANWELL, SOSEN	
IK Rate	IK08	Windload Test	17 class windload(56.1-61.2m/s, 240kg/square meter)	
L70 Hour	>100.000h	Optional Accessories	SPD, Zigbee Gateway, Zigbee Controller, Zigbee Wall Switch	

MODEL	SG-JRS-150W Asymmetrical	SG-JRS-180W Symmetrical	SG-JRS-300W Asymmetrical	SG-JRS-360W Symmetrical	SG-JRS-450W Asymmetrical	SG-JRS-540W Symmetrical
WATTAGE	150W	180W	300W	360W	450W	540W
MODEL QTY	1	1	2	2	3	3
LUMEN EFFICIENCY	145LM/W	170LM/W	145LM/W	170LM/W	145LM/W	170LM/W
LUMEN OUTPUT	21750LM	30600LM	43500LM	61200LM	65250LM	91800LM

remark: lumen output varies by the beam angles, CCT, CRI, etc, please contact us to get more specific data if needed

iBEAM Outdoor Lighting Member of Novilum BV Page 2



### Rotatable Modular Design

Each module can be rotated Horizontally 15°, bringing more flexible lighting solutions and more precise light targeting.

## DMX Control Entertainment System

•••••••

SOGA DMX entertainment system is designed to provide different flashing effects to players and fans.

## **Obtrusive Light Control Solution**

The application of asymmetric lenses help cut off all the obtrusive light from the back and upward.



**Long Distance Wireless Control System** 

No Wires Exposed To Avoid Bird Pecking



#### **Protection Mesh Cover on Back**

Keep the lamp always clean from the bird droppings or leaves, avoid the birds build the nests on lamp. The perfect heat dissipation performance

iBEAM Outdoor Lighting Member of Novilum BV Page 3



#### **OBTRUSIVE LIGHT CONTROL SYSTEM**




EAGLE Series LED sports light delivers precise asymmetric light distributions, unique backlight cut-off control avoid spill light in the neighborhood, that makes EAGLE Series LED sports lights the best choice for high residential area and professional sports stadium.

Installation angle less than 10°

Comply with following glare control standards:


- ✓ EN 12193: 2018 Standard
- AS/NZS 4282:2019 Standard



TYPE OF LENS:



TYPE OF LENS:





TYPE OF LENS:

Asymmetric 70° narrow

TYPE OF LENS:

Asymmetric 70° wide







## **OPTIONAL ACCESSORIES**









20KV SPD


Zigbee Gateway

Zigbee Controller

#### **PRODUCT SIZE**







SG-JRS-150W/180W

SG-JRS-300W/360W

SG-JRS-450W/540W

#### **APPLICATION**



TENNIS COURT



HIGH POLE LIGHT



OUTDOOR PARKING



CONSTRUCTION SITE



FOOTBALL FIELD

iBEAM Outdoor Lighting Member of Novilum BV Page 5